# **PARM-IT Process Robustness**

José I. Matías Master in Engineering Management Dr. Héctor J. Cruzado Civil and Environmental Engineering and Land Surveying Polytechnic University of Puerto Rico

Abstract — Long turnaround times to complete requests, mistakes performed by the employees, and ineffective forms used by the clients to submit their requests are some of the problems faced by the employees handling the PARM-IT process. The main causes for these issues are a lack of an operational "request form" that provides all the minimum information needed by the employees handling the assignment, a process flow that contains inefficiencies and the inexistence of an inspection method that captures errors before they get delivered to the client. After studying this process, waste was identified and eliminated giving way to an improved process flow that includes inspections, capturing errors before they are delivered and decreased turnaround times.

Key Terms — Value Stream Process Management (VSPM), Turnback (waste), Supplier-Input-Process-Output-Customer (SIPOC), Lean Principles.

### INTRODUCTION

#### Background

PARM-IT is a tool used in the aerospace industry's engine test environment to name the instrumentation installed in the engine prior a test. It is a monotonous task but one that requires a quick turnaround so testing is not hold off. This Project proposes an improvement in the handling of PARM-IT tasks requests through Process Robustness and the possible generation of tools to ease and standardize the receiving of requests, processing and delivering of products.

# **Problem Statement**

Clients have complained on how requests have been handled. How turnaround time is longer than

expected and errors have introduced turnbacks in the process.

## Objectives

The goals for this project are to decrease turnaround time to achieve on-time delivery, reduce non-conformances and turnbacks in the process, and improve overall customer satisfaction.

### LITERATURE REVIEW

#### **Process Robustness: Route of Simulation?**

It is challenging to mitigate the influence of uncertainty in a project without impacting performance but it is important to try and achieve it as it could reduce the risk of delivering over time or budget. Understanding the impact of uncertainty and understanding robustness in a process is important. Process modelling and simulation follows a method with a focus in robustness of process duration; discuss patterns by which processes respond to uncertainty; analyze how changes to the duration of individual tasks can affect the overall duration of the process [1].

### Value Stream vs. Process Mapping

Value stream mapping (VSM) helps to avoid randomly making improvements by identifying and prioritizing areas of improvement up front as well as to set measurable goals for improvement actions. VSM identifies waste within and between processes. Detailed process mapping identifies the voice of the customer and process outputs and identifies and classifies process inputs. Value stream mapping takes a top look at the flow of goods or services from customer to customer. Detailed process mapping provides a more comprehensive look with a much deeper dive into a process [2].

#### **Continuous improvement - VSM**

Used correctly and downright a VSM will provide a straight path to process optimization and a process that will operate efficiently for a long time. Value stream mapping provides a visual mean to represent and improve the flow of a process, as well as the information flow through the process. It is one of the preferred methodologies to identify inherent waste and losses within a process [3].

## ANALYSIS AND METHODOLOGY

To improve this service a Value Stream Process Management technique (VSPM) will be used. The goal is to accomplish the proposed objectives achieving process effectiveness, efficiency and agility through waste elimination and the standardization of work. This will help increase customer satisfaction with the value of delivered goods and services.

Process opportunities were identified after developing the Current State Process Map and the Supplier-Input-Process-Output-Customer (SIPOC), a seen in Figure 1. This, along with a Customer Satisfaction survey, helped determine what is important for the clients and what their complaints were.

Client (Various Groups) Information from Client related to job needs Client submits request Completed request sheet Client (Various Groups)   Client (Various Groups) Completed request sheet Execute request Completed job execution satifying clients needs Contractor   Contractor Completed job execution satifying clients needs Notify client request has been completed Email notification Client (Various Groups)	Suppliers (a)	Inputs (b)	Process ( c)	Outputs (d)	Customers (e)
Client (Various Groups) Completed request sheet Execute request execution satifying clients needs Completed job execution satifying clients needs Contractor   Contractor Completed job execution satifying clients needs Notify client request has been completed Email notification Groups) Client (Various Groups)	Client (Various Groups)	Information from Client related to job needs	Client submits request	Completed request sheet	Client (Various Groups)
Contractor Completed job execution satifying clients needs been completed been completed completed encoded completed encoded completed c	Client (Various Groups)	Completed request sheet	Execute request	Completed job execution satifying clients needs	Contractor
	Contractor	Completed job execution satifying clients needs	Notify client request has been completed	Email notification	Client (Various Groups)

PARM-IT Process SIPOC

An Impact Maturity analysis was performed to prioritize and select those opportunities that needed immediate attention. After the Lean Principles were applied and Waste was identified a streamlined, Future State Map was developed. Kaizen bursts were identified which outlined our action plan. Then an Action Plan to attain Future State was implemented followed by a design and implementation of a control plan to monitor the effectiveness of the improvements. With this plan the process was streamed from customer requests through all the steps necessary to deliver the product to the customer. It allowed the identification of waste in the entire process and to eliminate and enhance it.

# **RESULTS**

After implementing the Lean Principles a robust, Future State Map was developed. Inspections points were added along the process in order to capture repetitive mistakes that had been occurring. Team members were trained and qualified as inspectors and Inspection Forms (Figure 2) were developed to help capture non-conformances before they reach the clients and requestors. Thanks to these inspections the turnbacks occurrences were reduced by 20% (Figure 3).

$\odot$	Process Effective Date: XXXXXXXX	Revision No.: XXXX	Form Form	Form No.: XXXX Page Number: XXXX	
Company:	XXXX Process:		PARM-F	PARM-IT Process	
QUALITY CRITERIA:					
	1				
DEFECT CATEGORY	SECONDARY	TRIVIAL	KEY	SERIOU S	
Long Turnaround time	N/A	Captured by practitioner	Submitted to focal	Submitted to client	
Missing information	N/A	Captured by practitioner	Submitted to focal	Submitted to client	
				1	

Figure 2 PARM-IT Inspection Criteria Form



Figure 3 PARM-IT Turnbacks – reduced by 20%

The inspections were combined with a retraining of the team to help refresh the process and clarify some doubts. Reference material like Work Instructions was developed as a go-to document for the employees to consult when in doubt.

Another improvement added to this process was the development of a standard "Request Form" which contains all the fields and information required from the customer in order to initiate the process with no lack of information and in the required format for the team to process it.

# **CONCLUSIONS**

Once all the improvements were applied, it was confirmed that the objectives had been met. The amount of mistakes were reduced decreasing the turnbacks by 20% along with the non-conformities complains. After re-training the personnel and streamlining the process the turnaround time was reduced in average by 15%. Finally a survey to the customers demonstrated that once all these improvements were implemented the satisfaction improved in the Quality and Delivery areas as the product delivered is now virtually defect free and is been provided to the clients in less time.

## REFERENCES

- Chalupnik, M. J. et al, "Understanding design process robustness: A modelling approach", *ResearchGate*, Jan 2007. Web. Sept 2016. https://www.researchgate.net/publication/42797043\_Under standing\_design\_process\_robustness\_A\_modelling\_approa ch
- [2] Stroud, J. D., "More Value: Value Stream or Detailed Process Mapping?", *iSixSigma*. Web. Sept 2016. https://www.isixsigma.com/tools-templates/processmapping/more-value-value-stream-or-detailed-processmapping/
- [3] Mobley, R. K., "Best Practices for Using Value Stream Mapping as a Continuous Improvement Tool", *IndustryWeek*, Feb 2013. Web. Sept 2016. http://www.industryweek.com/lean-six-sigma/bestpractices-using-value-stream-mapping-continuousimprovement-tool