

# Standardize the Documentation for the Water Analysis for Wastes Elimination in the Raw Material Laboratory

Author: Maryerie Carrasquillo Advisor: Rafael Nieves, PharmD. Industrial Engineering Department



## Abstract

During the reviewing data of water analysis in the Raw Material Laboratory, the reviewers finds many documentation discrepancies between laboratory analysts, making this task difficult affecting the cycle time due to the waiting of corrections. The plan was create a standardized process for water analysis documentation to improve the documentation procedure to prevent data integrity failure and to establish a new form for the water analysis in the Raw Material Laboratory. The strategy used to reach this goal was support Kaizen method with the PDCA Cycle to standardize a process for the water analysis documentation to monitor and prevent data. A new reconciliation sheet and standardized process were created for the water analysis documentation to monitor and prevent data errors. The results of this project contribute to improve the data integrity, to eliminate wastes and, to create a standardized process to maintain in control the water analysis documentation errors.

## **Project Description**


The purpose of this research is to create a standardized process for water analysis documentation. The water analysis in the Raw Material Laboratory has many tests that generate a lot of documentation and discrepancies in documentation between laboratory analysts are found. The importance of this research is to create a standardized process for the water analysis documentation to monitor and prevent data errors that can lead in data integrity failure and cycle time overdue. Data integrity and cycle time are two important components of quality control laboratories' responsibility to ensure the efficacy, safety and quality of drugs.

# Objectives

The objectives of this research work are:

- To develop a standardized process for the water analysis documentation to prevent data errors by June 2018.
- To improve the documentation procedure to prevent data integrity failure.
- To establish a new form for the water analysis in the Raw Material Laboratory.

# Methodology



### **Results and Discussion**

The strategy used in this research for executing and support Kaizen method was the PDCA Cycle to standardize a process for the water analysis documentation to monitor and prevent data errors in the Raw Material Laboratory. The PDCA cycle for the research was the following:

#### Plan

A meeting was performed with people that know the water analysis in the Raw Material Laboratory, people included were: one analyst, two reviewers, supervisor and documentation specialist. The problem was identified, and it was the following: During the reviewing data of water analysis in the Raw Material Laboratory, the reviewers founded many documentation discrepancies between laboratory analysts, making this task difficult and affecting the cycle time due to the waiting of corrections. In the Raw Material Laboratory, did not exist a standardized process for the water analysis documentation to monitor and prevent data errors

### Do

To get a solution for the documentation errors in the Water Analysis of the Raw Material Laboratory, a meeting was held where the following correction was proposed:

• A standardized process for water analysis documentation. In the Raw Material Laboratory, there is a reconciliation sheet where the analysts write all the information related with the water points and testing done during this day. This reconciliation sheet was modified adding an analyst checklist of the important tasks where analysts must complete the Water Analysis in one day.

After all the recommendations in the meeting, the supervisor review the new changes suggested for the reconciliation sheet and, then they were send to the documentation specialist. The new reconciliation sheet for the water analysis was presented to the documentation specialist, to upload it in the system and to make it official for the benefit of analysts and reviewers.

For Water C	Chemical Solution	used, n	efer to Logibook	1	page:			(PSGA-DOC-1730)
Area		T	nical Analysis Lo		1	1	Analyst By / Date	* Verified By / Date
100000	Point ID	Page	Point ID	Page	Point ID	Page	PEAN ENTERNANCE	
	☐ USPP-18		USPP-19	-	□ USPP-22	$\rightarrow$		
Pharma	USPP-22A		USPP-23	-	□ USPP-24	-		
Purified Water	□USPP-25		□USPP-26	-	DUSPP-27			
	□USPP-28	_	CJUSPP-29	-	□USPP-30	_		
	□USPP-31		DUSPP-32	_	CJUSPP-33			
	☐ HPL-34		☐ HPL-35	_	□ HPL-36	_		
	☐ USPM-37		□ USPM-36		□ USPM-39			
MEX	☐ USPM-40		☐ USPM-41	_	□ USPM-42			
Purified Water	□ USPM-43		☐ USPM-45		☐ USPM-46			
Purified Water	☐ USPM-47		☐ USPM-48	_	□ USPM-49			
	☐ USPM-50		□ USPM-51		☐ USPM-52			
	☐ USPM-53		☐ USPM-54	_	Same of the same of			
.01	☐ USP-18		☐ USP-19		☐ USP-20			
Purified Water	□USP-21		□USP-22		□USP-23			
	□USP-22A		□USP-22B		□USP-22C			
	□ USP0-55		☐ USP0-56		☐ USP0-57			
	☐ USP0-58		□ USP0-59		☐ USP0-60			
OROS	□ USP0-61		☐ USP0-62		□ USP0-63			
Purified Water	☐ USP0-64		□ USP0-65		□ USP0-66			
	□ USP0-67		USP0-68		☐ USP0-69			
	☐ USP0-70		□ USPT-71					
Clean Steam	□CS-04		□CS-06		□CS-07			
Ciean Steam	[]CS-08		CS-09		CS-10			
	□DIQ-01		□DIQ-12					
Di-Water	□DIQ-10		77					
RO Water	□S-RS1					0.000		
CDI Water	DS-CD6		C)S-C02-1		□ S-CD6			
		that the		on below h		and the logi	pooks reconciliation have b	een performed.

Figure 1: Old reconciliation sheet 1

	Wa	ter Chem	ical Analysis L	ogbook:					
Area	Point ID	Page	Point ID	Page	Point ID	Page	Analyst By / D	ate	* Verified By / Date
things the remaindered thin acceptable acceptable place the still the little of a color color to a	☐ FW-01		☐ DIA-07		DIA-08				
	☐ DIB-09		☐ DIB-10		DIC-11				
Potable / In-process	☐ DIC-12		□CP-13		□CP-14				
process	☐ UF-15		□UF-16		□UF-17				
	□UF-18	1.							
Area	Wa	ter Chem	ical Analysis L	ogbook: _			411		+1/
Alea	Point ID	Page	Point ID	Page	Point ID	Page	Analyst By / D	ate	* Verified By / Date
		<del> </del>		1	<u> </u>				
		1							
Other points									
Analyzed									
Dana Davida		1			1				
Peer Reviewer	the state of the s	ate that th	e testing inform	lation belov	v nas been ver	med, and th	e logbooks reconcil	liation nav	the state of the s
									Applicable
	le and specific		-		416 1 6				
	s have the con				The state of the s				
Chromatograph	<del>a a principal de la constantina della constanti</del>	-			Committee of the Commit	and the second s	ot raw data)**	T	
		-	e, Alter, Resul						
n/a			ument and Pro						
			ports and Chr	omatogran	ns appropriate	ly complete	ed/labeled		
"If applicable is	s checked, iten	nize the te	est(s)						
All data are in c	ompliance with	cGMPs	and applicable	SOPs.					
Data and doc	umentation is r	neat and	completed.			TO THE STATE OF TH		I	
Initials and da	ite with proper	correction	ns.				iki kati kiridi menendera yak an ilimen sumurun menukun milan indiri dan deberada kentenan sumuru.		
Numbers are	rounded for co	rrect repo	orting.						
All raw data is	appropriately	labeled w	ith relevant inf	ormation.					
Deviation (SMA							- «Не не общенення былу при в не пре в селей в «небы син» и получиння были антифировый и пурова в него в него		Approver
Laboratory De	eviations/Inves	and a local wind for the same and the same a	the state of the s	f applicable	e), and the or	iginal repor	ts are included		□ n/a
in the data pa	ckage.								Liva

Figure 2: Old reconciliation sheet 2

WALLERI	LOTS RECONCILIATION & ANALYST AND DATA REVIEWING CHECKLIST FORM OF PURIFIED WATER FOR ANALYTICAL TESTING
	PRODUCT: PURIFIED WATER, CODE: 19670 / FEED WATER, CODE: 60187
	SPECIFICATION NUMBER: DS-SPE-23183

		Water	ogbook: Chemical Analys	is Logbook: _				
Area	Point ID	Page	Point ID	Page	Point ID	Page	*Analyzed By /Date	Verified By/Date
Pharma Purified Water (USPP-)								
MEX Purified Water (USPM-)								
OROS Purified Water (USPO-)								
JII Purified Water								
Clean Steam (CS-)								
DI Water (DIQ-)								

Figure 3: New reconciliation sheet 1

		TER FOR ANALY		
	PRODUCT: PURIFIED WAT	ER, CODE: 19670	FEED WATER, CO	DE: 60187
	SPECIFICA	TION NUMBER: I	OS-SPE-23183	
CDI Water				
(CDI- and S- CD)				
Other Points				
Analyzed				
Analyst Checklist	gnatures indicate that the testing information below ha	Applicable	oks reconciliation have been perio	ormea.
	necklist was checked and signed.		oks reconciliation have been perio	ormea.
Water Chemical Ch			oks reconciliation have been perio	ormea.
Water Chemical Cl	necklist was checked and signed.		oks reconciliation have been perio	ormea.
Water Chemical Cl TOC logbook was o Water Chemical So verified.	necklist was checked and signed. documented, signed and verified.		oks reconciliation have been perio	ormea.
Water Chemical Cl TOC logbook was of Water Chemical So verified. Water Chemical Ar	documented, signed and verified.		oks reconculation have been perio	ormea.
Water Chemical Cl TOC logbook was of Water Chemical So verified. Water Chemical Al All TOC print outs	documented, signed and verified.  Solutions logbook was documented, signed and halysis logbook was documented and signed.		oks reconculation have been perio	ormea.
Water Chemical Cl TOC logbook was of Water Chemical So verified. Water Chemical An All TOC print outs of All solutions for Pucurrent.	necklist was checked and signed.  documented, signed and verified.  plutions logbook was documented, signed and  nalysis logbook was documented and signed.  were signed and copied.  prified Water tests were documented and they are  cormed using the current corresponded		oks reconculation have been perio	ormea.
Water Chemical Cl TOC logbook was of Water Chemical Soverified.  Water Chemical An All TOC print outs All solutions for Pucurrent.  All tests were performancopeia and	necklist was checked and signed.  documented, signed and verified.  plutions logbook was documented, signed and  nalysis logbook was documented and signed.  were signed and copied.  prified Water tests were documented and they are  cormed using the current corresponded		oks reconculation have been perio	ormea.

Figure 4: New reconciliation sheet 2

#### Check

The documentation specialist made official the new reconciliation sheet in the system. It was proceeded to present the new reconciliation to all the persons that work in the water analysis, to explain the modifications and changes made to new reconciliation sheet. After a week of the implementation of the new reconciliation sheet, a positive feedback was received from analysts and reviewers. They feel more comfortable with the new changes. For analysts the documentation is simpler, and reviewers observed less documentation errors from the analysts.

#### Aci

As a result of all these changes made to the new reconciliation sheet, a standardized process was created for the water analysis documentation to monitor and prevent data errors. The results of this project contribute to improve the data integrity, to eliminate wastes and, to create a standardized process to maintain in control the water analysis documentation errors. But, it is important to remember that PDCA is a cycle, not a process with a beginning and an end. This means that the improved documentation process becomes the new baseline, and analysts or reviewers can continue to look for ways

## Conclusion

The new reconciliation sheet for the water analysis in the Raw Material Laboratory was a great advantage for the area. This modification helps the reviewers to finds less documentation discrepancies between laboratory analysts; making easy the data review and reducing the chance of affect the cycle time due to the waiting of corrections. Now, in the Raw Material Laboratory exists a standardized process for the water analysis documentation to monitor and prevent data errors. Moreover, with this new documentation procedure, data integrity failure can be prevented.

#### **Future Work**

For future research, the benefit of this standardized process for the water analysis documentation in the Raw Material Laboratory can be quantified. It can be done observing the cycle time of the water analysis documentation. Also, the water analysis area needs a better organization. The 5's concept can be use; it is an important visual tool in any organization. It can help to increase the productivity in the following manner: identification and arrangement easier for benefits of the employees to find the things necessary for the process, easier to catch any problem during the process and working with standardize process.

#### References

- 1. "The Kaizen Benefit," *riskgroup-llc.com*, 2009. [Online]. Available: http://www.riskgroup-llc.com/manager/upload ed\_images/file/Kaizen\_Events.pdf. [Accessed: Feb. 23, 2017].
- 2. L. Kovacova, "The development of models and methods Kaizen," in Transfer inovacii, 2012.